

MATERIAL SAFETY DATA SHEET
 AMAZ HOUSEHOLD ULTRAGLOSS SEALANT

AMAZ
HOUSEHOLD ULTRAGLOSS SEALANT

HAZARD RATINGS		
NFPA HMIS DATA		
HEALTH	1	0= MINIMAL 1= SLIGHT
FIRE	1	2=MODERATE 3=HIGH
REACTIVITY	0	4=EXTREME

SECTION I

MANUFACTURED FOR: GEIL ENTERPRISES, INC.
 ADDRESS: 600 WEST LOCUST AVE., STE 102
 FRESNO, CA 93650-1094
 EMERGENCY PHONE NUMBER: (404) 874-3326 (CERTS) CHEMICAL EMERGENCY ONLY
 PHONE NUMBER FOR INFORMATION: 559-495-3000
 DATE REVISED: November 6, 2006
 NAME OF PREPARER: SALIENT CORPORATION
 CLIFFORD M. CANTRELL

SECTION II HAZARDOUS INGREDIENTS/INFORMATION

INGREDIENT	CAS NO.	OSHA PEL	ACIGH TLV	OTHER STEL	% OR RNG	S K
PETROLEUM DISTILLATE	8030-30-6	350 PPM	350 PPM	1800 PPM	< 10	

NOTE: AN "X" UNDER "SKIN" INDICATES THAT OSHA REQUIRES SKIN PROTECTION TO PREVENT OR REDUCE EXPOSURE TO THIS INGREDIENT. DOES NOT CONTAIN ANY SARA TITLE III, SECTION 313 SUBSTANCE AT LEVELS SUBJECT TO REPORTING.

EPA HAZARD CATEGORIES
 ACUTE HEALTH - CHRONIC HEALTH - FIRE

SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: N.D. Specific Gravity (H2O=1) 0.91 - 0.92
 Vapor Pressure (mm Hg) 19 Melting Point N.D.
 Vapor Density (Air=1) 2.2 Evaporation Rate (Water=1) < 1
 Solubility in Water: EMULSIFIABLE
 Appearance and odor: Opaque green paste with lemon odor.
 VOC CONTENT: 85 grams/liter

SECTION IV- FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): > 120° F (TCC) Flammable Limits: LEL: UNK. UEL: UNK
 Extinguishing Media: Use water fog, foam, dry chemical, CO₂, or halon extinguisher. Do not use direct stream of water as that could promote spreading of burning liquids.
 Special Fire Fighting Procedures: Firefighters should not attempt to fight any fire involving this product without full protective gear and self-contained breathing apparatus.
 Unusual Fire and Explosion Hazards: Heated containers may explode and burn. Cool exposed containers with water fog to prevent pressure buildup..

SECTION V- REACTIVITY DATA

Stability: Stable
 Incompatibility (Materials to Avoid): Keep away from spark, flame or sources of ignition. Do not smoke in any area where this material is being used. Do not mix with any other chemical.
 Hazardous Decomposition or Byproducts: Carbon dioxide, carbon monoxide, heat and various unidentified organic compounds.NONE.
 Hazardous Polymerization: Will Not Occur

**MATERIAL SAFETY DATA SHEET
AMAZ HOUSEHOLD ULTRAGLOSS SEALANT**

SECTION VI- HEALTH HAZARD DATA

Route(s) of Entry:	Inhalation? <u>No</u>	Skin? <u>Yes</u>	Ingestion? <u>Yes</u>	Eyes? <u>Yes</u>
Health Hazards (Acute and Chronic):	None known.			
Carcinogenicity:				
NTP?	Ingredients not listed.			
IARC Monographs?	Ingredients not listed.			
OSHA Regulated?	Ingredients not listed.			
Signs and Symptoms of Exposure:				
INHALATION:	Not a likely source of exposure due to viscosity.			
INGESTION:	May irritate gastrointestinal tract.			
SKIN CONTACT:	May irritate sensitive individuals.			
EYE CONTACT:	Irritating.			
Medical Conditions Generally Aggravated by Exposure: Unknown				
Emergency and First Aid Procedures:				
INHALATION:	Remove victim to fresh air.			
EYE CONTACT:	Immediately flush eyes in clear running water for at least 15 minutes lifting upper and lower lids periodically. If irritation results and persists, GET MEDICAL ATTENTION IMMEDIATELY.			
SKIN CONTACT:	Flush skin with plenty of water.			
INGESTION:	Administer large quantities of water. Induce vomiting. GET MEDICAL ATTENTION IMMEDIATELY.			
OTHER INFORMATION:	Not known to be mutagenic or carcinogenic.			

VII- PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to Be Taken in Case Material is Released or Spilled:	
SMALL SPILLS:	SWEEP UP AND PLACE IN SANITARY WASTE..
Waste Disposal Method:	Scoop up spill and place into a suitable container. If not reusable, dispose of as hazardous waste under Federal and local regulations.
Precautions to Be Taken in Handling and Storing:	KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.
Other Precautions:	KEEP THIS AND ALL CHEMICALS OUT OF REACH OF CHILDREN.

SECTION VIII- Control Measures

Respiratory Protection (Specify Type): Not required for normal small volume use. (Small volume defined as less than 4 ounces in any one day..)	
Ventilation:	Local exhaust sufficient.
Protective Gloves:	Rubber or neoprene recommended to reduce skin contact.
Eye Protection:	Chemical goggles recommended when using any chemical.
Other Protective Clothing or Equipment:	As required to reduce or prevent skin contact.
Work/Hygienic Practices:	Wash product from clothes and skin. Use good housekeeping practices.

SECTION IX - Additional Information

ENVIRONMENTAL

BIODEGRADABILITY: **BIODEGRADABLE.**

WASTE DISPOSAL METHODS: **DISPOSE OF LARGE QUANTITIES (Greater than one pound) IN AN AUTHORIZED HAZARDOUS WASTE FACILITY IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. WASTES OF THIS PRODUCT ARE HAZARDOUS BY REASON OF FLAMMABILITY.**

ADDITIONAL INFORMATION

EMPTY CONTAINER HANDLING: WARNING! EMPTIED CONTAINER RETAINS PRODUCT RESIDUE. OBSERVE ALL PRECAUTIONS EVEN AFTER CONTAINER IS EMPTIED. KEEP EMPTY CONTAINER CLOSED TIGHTLY.

MATERIAL SAFETY DATA SHEET
▲M▲7 H▲U▲I▲S▲F▲H▲I▲ N ▲I▲I▲ T▲R▲A▲G▲I▲ O▲S▲S▲ S▲F▲A▲I▲ A▲N▲T

SARA TITLE III REPORTING REQUIREMENTS

SECTION 302- EXTREMELY HAZARDOUS SUBSTANCES	REPORTING NOT REQUIRED
SECTION 304- HAZARDOUS RELEASES	REPORTING NOT REQUIRED
SECTION 311- COMMUNITY RIGHT TO KNOW (R-T-K)	REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.
SECTION 312- R-T-K INVENTORY DATA	REPORTING REQUIRED FOR INVENTORY ABOVE TPQ.
SECTION 313- EMISSIONS AND RELEASE	REPORTING MAY BE REQUIRED FOR INDUSTRIAL USERS (S.I.C. CODE 20 - 39)
CERCLA	SAME AS SECTION 304

REFERENCES

TOXIC SUBSTANCE CONTROL ACT LIST (TSCA) - INGREDIENTS LISTED.

PERMISSIBLE EXPOSURE REFERENCES:

REGISTRY OF TOXIC EFFECTS OF CHEMICAL SUBSTANCES
TITLE 29 CODE OF FEDERAL REGULATIONS
NATIONAL TOXICOLOGY PROGRAM (NTP) REPORT ON CARCINOGENS
INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) MONOGRAPHS

REGULATORY STANDARDS:

DOT TITLE 49 CODE OF FEDERAL REGULATIONS 172.101
SARA TITLE III
NUCLEAR REGULATORY AGENCY

DOT SHIPPING NAME: COMBUSTIBLE LIQUID, NOI (CONTAINS PROTROLEUM SPIRITS) COMBUSTIBLE LIQUID, NA1993, PG II

DOT HAZARD LABEL: NONE (FOR CONTAINERS LESS THAN 110 GALLONS).

THIS DOCUMENT COMPLIES WITH OSHA FORM 174 AS REQUIRED UNDER 29 CFR 1910.1200.

THE INFORMATION CONTAINED HEREIN is believed to be accurate but is not warranted to be so. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.